AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Currently Amended) An isolated nucleic acid comprising a promoter for the expression of recombinant proteins in filamentous fungi that comprises a nucleotide sequence or a complementary strand thereof, selected from the group consisting of: (a) having nucleotides 1-740 of SEQ ID NO:1; and
- (b) a nucleotide sequence that hybridizes under stringent conditions to that defined in (a), with the proviso, that the nucleotide sequence is not the promoter of the *gdh* gene from Aspergillus nidulans.
- 2. (Previously Presented) An isolated nucleic acid according to claim 1, wherein the promoter consists of nucleotides 1-740 of SEQ ID NO:1 or its complementary strand.
- 3. (Previously Presented) An isolated nucleic acid comprising a promoter of a glutamate dehydrogenase gene from a fungus of the genus *Aspergillus* with the proviso that the sequence is not the promoter of the *gdh* gene from *Aspergillus nidulans*.
- 4. (Previously Presented) The isolated nucleic acid according to claim 3, wherein the fungus is *Aspergillus awamori* or *Aspergillus niger*.
- 5. (Previously Presented) The isolated nucleic acid according to claim 4, wherein the fungus is *Aspergillus awamori*.

- 6. (Withdrawn) A purified and isolated DNA sequence that encodes a glutamate dehydrogenase protein and that comprises a nucleotide sequence or a complementary strand thereof selected from the group consisting of: (a) nucleotides 741-2245 of SEQ ID NO:1; and (b) a nucleotide sequence that hybridizes under stringent conditions to that defined in (a), with the proviso that the sequence is not the *gdh* gene from *Aspergillus nidulans*.
- 7. (Withdrawn) The DNA sequence according to claim 6, consisting of nucleotides 741-2245 of SEQ ID NO:1, or its complementary strand.
- 8. (Withdrawn) An isolated DNA sequence encoding a glutamate dehydrogenase from a fungus of the genus *Aspergillus*, with the proviso that the sequence is not the *gdh* gene from *Aspergillus nidulans*.
- 9. (Withdrawn) The isolated DNA sequence according to claim 8, wherein the fungus is *Aspergillus awamori* or *Aspergillus niger*.
- 10. (Withdrawn) The isolated DNA sequence according to claim 9, wherein the fungus is *Aspergillus awamori*.
- 11. (Withdrawn) A protein encoded by any of the DNA sequences according to claim 6.
 - 12. (Withdrawn) A protein comprising SEQ ID NO:2.

Application No. <u>09/647,543</u> Attorney's Docket No. <u>031309-</u>003

Page 4

13. (Withdrawn) An isolated glutamate dehydrogenase from a fungus of the genus *Aspergillus* with the proviso that the glutamate dehydrogenase is not the glutamate dehydrogenase from *Aspergillus nidulans*.

- 14. (Withdrawn) The isolated glutamate dehydrogenase according to claim 13, wherein the fungus is *Aspergillus awamori* or *Aspergillus niger*.
- 15. (Withdrawn) The isolated glutamate dehydrogenase according to claim 14, wherein the fungus is *Aspergillus awamori*.
 - 16. Canceled
 - 17. Canceled
- 18. (Withdrawn) A DNA construct comprising: a) a promoter from a glutamate dehydrogenase gene from a fungus of the genus *Aspergillus*; b) a DNA sequence encoding a protein expressed from a filamentous fungus or a portion thereof; c) a DNA sequence encoding a cleavable linker peptide; and d) a DNA sequence encoding a desired protein.
- 19. (Previously Presented) A DNA construct that comprises: a) a promoter from a glutamate dehydrogenase gene from a fungus of the genus *Aspergillus*; b) a DNA sequence encoding a protein expressed from a filamentous fungus or a portion thereof; c) a DNA sequence encoding a cleavable linker peptide; and d) a DNA sequence encoding a desired protein, wherein the promoter under a) is a promoter according to claim 1.

- 20. (Currently Amended) The DNA construct according to claim 48_19, wherein the DNA sequence under b) encodes a protein or portion thereof selected from the group consisting of: i) glucoamylase from *Aspergillus awamori, Aspergillus niger, Aspergillus oryzae* or *Aspergillus sojae*; ii) B2 from *Acremonium chrysogenum*; and iii) a glutamate dehydrogenase from a filamentous fungus.
- 21. (Currently Amended) The DNA construct according to claim 20, wherein the DNA sequence under of b) encodes a glucoamylase from Aspergillus awamori, Aspergillus niger, Aspergillus oryzae or Aspergillus sojae, or a portion thereof.
- 22. (Currently Amended) The DNA construct according to claim 20, wherein the DNA sequence under of b) encodes protein B2 from *Acremonium chrysogenum* or a portion thereof.
- 23. (Currently Amended) The DNA construct according to claim 20, wherein the DNA sequence under_of_b) encodes a glutamate dehydrogenase from a filamentous fungus or a portion thereof.
- 24. (Currently Amended) The DNA construct according to claim 48 19, wherein the DNA sequence under of c) contains a KEX2 processing sequence.
- 25. (Currently Amended) The DNA construct according to claim 48 19, wherein the DNA sequence under of d) encodes thaumatin.
- 26. (Currently Amended) The DNA construct according to claim 25, wherein the DNA sequence under of d) is the thaumatin II synthetic gene from plasmid pThIX.

- 27. (Withdrawn) A DNA construct comprising a gdh promoter from a fungus of the genus *Aspergillus* operatively linked to a DNA sequence encoding a desired protein.
- 28. (Previously Presented) A DNA construct comprising a gdh promoter from a fungus of the genus *Aspergillus* operatively linked to a DNA sequence encoding a desired protein, wherein the promoter is a promoter according to claim 1.
- 29. (Currently Amended) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to elaim 18claim 19.
- 30. (Previously Presented) The culture according to claim 29, wherein the filamentous fungus is a fungus from the genus *Aspergillus*.
- 31. (Currently Amended) The culture according to claim 29, wherein the filamentous fungus is selected from the group consisting of *Aspergillus awamori, Aspergillus niger, Aspergillus oryzae, Aspergillyus Aspergillus nidulans* and *Aspergillus sojae*.
- 32. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid, wherein the plasmid contains a DNA construct according to claim 25.
- 33. (Currently Amended) A process for producing a recombinant protein in a filamentous fungus comprising:

- a) preparing an expression plasmid containing a DNA construct according to claim 18 claim 19;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 34. (Previously Presented) The process according to claim 33, wherein the recombinant protein is thaumatin and the expression plasmid contains a DNA construct according to claim 25.
 - 35. Canceled
- 36. (Withdrawn) A method for expressing a recombinant protein in filamentous fungi comprising:

preparing a nucleic acid comprising a promoter from a glutamate dehydrogenase gene from a fungus of the genus *Aspergillus* operably linked to a second nucleic acid encoding a protein;

inserting said nucleic acid into a filamentous fungi; and culturing the filamentous fungi to express the recombinant protein.

- 37. (Withdrawn) The method of Claim 36, wherein the promoter is selected from the group consisting of:
 - nucleotides 1-740 of SEQ ID NO:1;

a nucleotide sequence that hybridizes under stringent conditions to nucleotides 1-740 of SEQ ID NO:1;

a promoter of a glutamate dehydrogenase gene from a fungus of the genus Aspergillus with the proviso that the sequence is not the promoter of the gdh gene from Aspergillus nidulans; and

a promoter of a glutamate dehydrogenase gene of Aspergillus awamori or Aspergillus niger.

- 38. Canceled
- 39. Canceled
- 40. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 20.
- (Previously Presented) A filamentous fungus culture capable of producing a 41. recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 21.
- 42. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 22.

43. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 23.

- 44. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 24.
- 45. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 25.
- 46. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 26.
- 47. (Withdrawn) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 27.
- 48. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 28.
 - 49. Canceled

- 50. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 20;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 51. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 21;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 52. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 22;

- b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 53. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 23;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 54. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 24:
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and

- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 55. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 25;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 56. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 26;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.

- 57. (Withdrawn) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 27;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 58. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 28;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 59. (Currently Amended) A DNA construct that comprises: a) a promoter from a glutamate dehydrogenase gene from a fungus of the genus *Aspergillus*; b) a DNA sequence encoding a protein expressed from a filamentous fungus or a portion thereof; c) a DNA

sequence encoding a cleavable linker peptide; and d) a DNA sequence encoding a desired protein, wherein the promoter under of a) is a promoter according to claim 3.

- 60. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 59.
- 61. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 59;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
- 62. (Previously Presented) A DNA construct comprising a gdh promoter from a fungus of the genus *Aspergillus* operatively linked to a DNA sequence encoding a desired protein, wherein the promoter is a promoter according to claim 3.
- 63. (Previously Presented) A filamentous fungus culture capable of producing a recombinant protein which has been transformed with a plasmid containing a DNA construct according to claim 62.

- 64. (Previously Presented) A process for producing a recombinant protein in a filamentous fungus comprising:
- a) preparing an expression plasmid containing a DNA construct according to claim 62;
 - b) transforming a strain of filamentous fungus with said expression plasmid;
- c) culturing the transformed strain under appropriate nutrient conditions to produce the desired protein, either intracellularly, extracellularly or in both ways simultaneously; and
- d) separating and purifying the desired protein from the fermentation broth to produce the recombinant protein.
 - 65. (New) A filamentous fungi strain expressing the promoter of claim 1.
- 66. (New) The filamentous fungi strain of claim 65, wherein the strain is TGDTh-4 with Access No. CECT20241.
- 67. (New) A method for expressing a recombinant protein in filamentous fungi comprising:

preparing a nucleic acid according to claim 1;

inserting said nucleic acid into a filamentous fungi; and

culturing the filamentous fungi to express the recombinant protein.